

Download Evidence Based Anaesthesia And Intensive Care

Anesthesia & Analgesia

OpenAnesthesia™, sponsored by the International Anesthesia Research Society, is an online multimodal toolkit specifically designed to advance graduate medical education in anesthesia.

Masimo

Masimo is passionate about making innovative technologies that give clinicians the tools they need to do what is best for patient care. That's why it is gratifying to see so many clinicians and clinical researchers take the time to evaluate our products and technologies.

REVIEW ARTICLE – Prehospital trauma care services in ...

Popular Posts. ORIGINAL ARTICLE – Optimal dose of prophylactic intravenous ephedrine for spinal-induced hypotension during cesarean section 01 Jan , 2011; ORIGINAL ARTICLE – A comparative study of supraclavicular versus infraclavicular approach for central venous catheterization 01 Jun , 2011; CASE SERIES – Interventional pain management techniques can be helpful in headache management ...

Fetal Monitoring

Fetal monitoring occurs when trained care providers use tools to monitor and interpret the baby's heartbeat during labor and birth. The information that health care providers get from fetal heart patterns during labor helps them decide whether or not to intervene in the birth process.

A care bundle for pressure ulcer treatment in intensive ...

1. Introduction. Pressure ulcers (PUs), also known as a pressure sores, decubitus ulcers and bed sores, are localized injuries of the skin or underlying tissue that most often occur over bony prominences and which can be caused by any combination of pressure, shear forces or friction .PUs are internationally recognized as an important and mostly avoidable indicator of health care quality .

Family Visitation in the Adult Intensive Care Unit

Scope and Impact of the Problem. Evidence shows that the unrestricted presence and participation of a support person (ie, family as defined by the patient) can improve the safety of care and enhance patient and family satisfaction. This is especially true in the intensive care unit (ICU), where the patients are usually intubated and cannot speak for themselves.

Regional anaesthesia and antithrombotic agents ...

Copyright © European Society of Anaesthesiology. Unauthorized reproduction of this article is prohibited.

Regional anaesthesia and antithrombotic agents:

ESPEN Guidelines on Enteral Nutrition: Intensive care

The results of the Cochrane Library review by Heyland⁵ however, differed in its conclusions. Heyland concluded that early EN should be recommended in the critically ill (B) whereas it should

Pre-operative respiratory optimisation: an expert review ...

Optimising pre-existing respiratory disease: specific conditions. Many patients presenting for surgery already have respiratory disease, and a pre-operative history of smoking, asthma, chronic obstructive pulmonary disease or obstructive sleep apnoea have all been shown to be associated with developing a postoperative pulmonary complication.

Anesthetic Management For Open Heart Surgery And Extra ...

Review Articles Anesthetic Management For Open Heart Surgery And Extra Corporeal Circulation